

M 8711

~~SECRET~~

Approved For Release 2001/08/30 : CIA-RDP78-04507A000100020133-7

~~CONFIDENTIAL~~

O
P
Y

Chief of Logistics

5 February 1954

THRU : Chief, FE

Assistant Director for Communications

25X1A6a

Storage Space at [REDACTED]

25X1A9a

1. As agreed between Mr. [REDACTED] Logistics Office, and my Plans Officers, submitted herewith is the following consolidated requirement for warehouse space for communications equipment at [REDACTED]

25X1A6a

25X1A6a
25X1A

2. This consolidation of Office of Communications warehouse space requirements at [REDACTED] includes those previously discussed with [REDACTED] communications equipment stockpile and the Office of Communications Mobilization Plan stockpile. A summary of these requirements indicates that a storage area for communications equipment displacing approximately 30,000 cubic feet is needed at [REDACTED]. It is estimated that a warehouse building of approximately 5,000 square feet with a ten foot height, designed for humidity control, will be needed for the proper storage of this electronic equipment.

25X1A6a

3. Will you please confirm that the necessary warehouse space and facilities will be available for this purpose.

/s/ [REDACTED]

25X1A9a

DOC	29	REV DATE	04/05/81	BY	01000
ORIG COMP		ORIG	35	TYPE	01
ORIG CLASS	5	REV CLASS	C		
JUST	2	NEXT REV	2011	AUTH	HR 70-2

Approved For Release 2001/08/30 : CIA-RDP78-04507A000100020133-7

~~SECRET~~

~~CONFIDENTIAL~~